



## THE ONLY RAPID-ACTING INHALED INSULIN



Insulin **in the moment.**

APPROVED FOR ADULTS AND CHILDREN  
6 YEARS AND OLDER LIVING WITH DIABETES

Scan the QR code to view the Medication Guide, Instructions for Use, and see Important Safety Warning (including Boxed Warning) on pages 8-9 of this brochure.





“

Lifestyle doesn't end after diagnosis, it's actually just beginning. In combination with my CGM, Afrezza lets me make real-time corrections quickly and efficiently. Afrezza works great for my day-to-day activities.”

- Mike



## INDICATION

Afrezza® (insulin human) Inhalation Powder is a rapid acting inhaled human insulin indicated to improve glycemic control in adult and pediatric patients 6 years of age and older with diabetes mellitus.

## SUMMARY OF IMPORTANT SAFETY INFO

- **Afrezza may cause serious side effects, including sudden lung problems** (in a study, some Afrezza-treated patients with asthma, whose asthma medication was temporarily withheld, experienced sudden lung problems).
- **Other serious side effects may include low blood sugar, decreased lung function, lung cancer, diabetic ketoacidosis, severe allergic reaction, low potassium in your blood, and heart failure. Some of these side effects may lead to death.**
- The most common side effects are low blood sugar, cough, and sore throat.
- **Don't use Afrezza if you have long-term lung problems such as asthma or chronic obstructive pulmonary disease (COPD) or are allergic to any of the ingredients in Afrezza.**
- **Don't use Afrezza if you are having an episode of low blood sugar.**
- Before starting Afrezza, your healthcare provider will give you a breathing test to check how your lungs are working.
- Afrezza is not for use to treat diabetic ketoacidosis.
- Afrezza must be used with basal insulin in people who have type 1 diabetes.
- Afrezza is not for use in people who smoke or have recently stopped smoking (less than 6 months).
- **Talk to your healthcare provider about all your medical conditions and medications.**

A woman with dark hair, wearing a grey sweater and a blue backpack, is shown in profile from the chest up. She is holding a small, white, handheld device to her mouth and inhaling. The background is a soft-focus outdoor scene with green foliage and a body of water.

**INHALE WITH  
YOUR FIRST BITE.  
NO NEEDLES,  
NO PLANNING,  
NO KIDDING.**

## COULD AFREZZA BE RIGHT FOR YOU?

Managing diabetes can be challenging—and the insulin you choose can make a big difference. Use this quick checklist to see if Afrezza—the only FDA-approved inhaled insulin—could be right for you.

## DIABETES MANAGEMENT ASSESSMENT

### 1. Your Diabetes Type

- Type 1 diabetes
- Type 2 diabetes

### 2. Your Diabetes Medication History

- Tried more than one mealtime insulin (Novolog®, Humalog®, Fiasp®, etc.)
- Tried two or more oral diabetes medicines
- Tried other injectable medications

### 3. Challenges You've Faced

- Hard to reach my A1C goal
- I go too high or too low
- Side effects with my current insulin
- Thick or sore skin from injections
- I dislike needles
- I sometimes skip injections due to inconvenience or social discomfort

If several items on the checklist apply to you, Afrezza could offer a different way to manage mealtime glucose—without injections. **Bring this checklist to your doctor and ask if Afrezza is right for you.**

---

Please see [Medication Guide and Instructions for Use](#).  
On pages 8–9, see [Important Safety Warning](#) or visit  
[www.afrezza.com/safety](http://www.afrezza.com/safety)



## MEET AFREZZA<sup>®</sup>

Afrezza is an ultra rapid-acting inhaled insulin that you breathe in through your mouth using the Afrezza inhaler. It's the only mealtime insulin treatment with an innovative inhaled delivery method.

### AFREZZA<sup>®</sup> INHALER



### AFREZZA<sup>®</sup> CARTRIDGES



4-UNIT



8-UNIT



12-UNIT

---

Please see Medication Guide and Instructions for Use.  
On pages 8–9, see Important Safety Warning or visit  
[www.afrezza.com/safety](http://www.afrezza.com/safety)




While I use an injected long-acting insulin for my basal needs, having an inhaled insulin therapy option has helped me prevent painful infusion sites or unpredictable insulin absorption levels.”\*

- Danica

Health Coach and T1D  
Afrezza user for over 3 years



## HOW IS AFREZZA DIFFERENT?



### AFREZZA IS INHALED

By inhaling your insulin, you could eliminate over 1,000 needlesticks per year.†

### AFREZZA RAPIDLY PASSES FROM YOUR LUNGS INTO YOUR BLOOD

in under 1 minute, and starts lowering blood sugar in about 12 minutes—so you can take it the moment you start eating.

**Important Safety Information** Decreased lung function: Your healthcare provider should check how your lungs are working before you start using Afrezza, 6 months after you start using it, and yearly after that.

\* At injection site. Danica is a paid spokesperson for MannKind. Results may vary.

† Based on an estimation of approximately 3 meals per day, for a total of 1,095 possible mealtime injections per year.

## WHY AFREZZA®?

Afrezza gives you the freedom and flexibility to fit your lifestyle and still meet your treatment goals.



### NO PLANNING

Afrezza lets you inhale your insulin right when food arrives (even unexpectedly) so you can be spontaneous, but still in control.



### NO WAITING

Afrezza lowers your blood sugar fast\*, similar to the body's natural insulin response.



### NO MEALTIME NEEDLES

Afrezza lowers your blood sugar at mealtime without injections.

---

Please see [Medication Guide](#) and [Instructions for Use](#).  
On pages 8–9, see [Important Safety Warning](#) or visit  
[www.afrezza.com/safety](http://www.afrezza.com/safety)



## CONTROL YOU CAN COUNT ON

Afrezza has proven mealtime control in studies of more than 4,800 people with diabetes.



I used to dread seeing my endocrinologist every three months. Despite doing my best to live a healthy lifestyle and eat right, I couldn't get to the goals my doctor and I wanted for me. 7 months ago, that all changed. With Afrezza added to my toolkit to manage type 1 diabetes, I now look forward to seeing my doctor and building a stronger partnership to keep me at goal and thriving!"

- JJ Guenther



---

\*Starts lowering blood sugars in ~12 minutes.

**Important Safety Information:** Your dose of Afrezza may need to change because of change in level of physical activity or exercise, weight gain or loss, increased stress, illness, change in diet, or because of other medicines you take.



## AFREZZA® IS AFFORDABLE

For just dollars a day you can experience greater flexibility and fewer needlesticks.

97% OF PATIENTS PAY  
**\$35** OR LESS  
OUT OF POCKET\*

**mannkind Cares®**

Call to explore our cost assistance programs:

 **844-323-7399**

(M-F, 8am-8pm ET)

### MANKIND CARES: ONE PHONE NUMBER FOR COMPLETE SUPPORT ON YOUR AFREZZA JOURNEY

What **MannKind Cares** does for you:

- Explains cost assistance programs
- Checks insurance and savings eligibility
- Enrolls you in the right program for you
- Arranges home delivery
- Provides live training and ongoing support from a Patient Navigator

## 4 PAYMENT PATHWAYS:

### APPROVED THROUGH COMMERCIAL INSURANCE

(through your job or private plan)

Pay as little as **\$35** PER MONTH

with the Afrezza Savings Card\*\*

### APPROVED THROUGH MEDICARE OR MEDICAID

Pay **\$35** OR LESS PER MONTH

### NEW PATIENTS AGES 6-23

Pay **\$35** PER MONTH

through the Pediatric Bridge Program<sup>†</sup>

New patients only. While pursuing insurance approval.  
Expires 12/31/2026.

### UNINSURED OR DO NOT QUALIFY FOR OTHER PROGRAMS

Pay **\$99** PER BOX<sup>††</sup>

CALL US TO  
DETERMINE YOUR  
BEST OPTION,  
ENROLL, AND ASK  
ANY QUESTIONS.

**mannkindCares**<sup>®</sup>

 **844-323-7399**

\* Based on 2025 prescriptions filled. Your cost depends on your insurance plan and eligibility for cost assistance programs.

\*\* Savings card valid for commercially insured patients only. Not for federal/state program enrollees. Terms at [AfrezzaSavingsCard.com](https://afrezza.com/AfrezzaSavingsCard.com).

<sup>†</sup> Pediatric Bridge Program available 6/1/26-12/31/26 exclusively through MannKind Cares. Terms at [afrezza.com](https://afrezza.com).

<sup>††</sup> Cash pay program \$99/box. Void where prohibited.



## IMPORTANT SAFETY INFORMATION

### WHAT IS THE MOST IMPORTANT INFORMATION I SHOULD KNOW ABOUT AFREZZA®?

#### Afrezza can cause serious side effects, including:

- Sudden lung problems (bronchospasms). In a study, some Afrezza-treated patients with asthma, whose asthma medication was temporarily withheld, experienced sudden lung problems. Do not use Afrezza if you have long-term (chronic) lung problems such as asthma or chronic obstructive pulmonary disease (COPD). Before starting Afrezza, your healthcare provider will give you a breathing test to check how your lungs are working.

### WHAT IS AFREZZA?

- Afrezza is a man-made insulin that is breathed-in through your lungs (inhaled) and is used to control high blood sugar in adults and children 6 years of age and older with diabetes mellitus.
- Afrezza is not for use to treat diabetic ketoacidosis. Afrezza must be used with basal insulin in people who have type 1 diabetes mellitus.
- It is not known if Afrezza is safe and effective for use in people who smoke. Afrezza is not for use in people who smoke or have recently stopped smoking (less than 6 months).
- It is not known if Afrezza is safe and effective in children under 6 years of age.

### WHO SHOULD NOT USE AFREZZA?

#### Do not use Afrezza if you:

- Are having an episode of low blood sugar (hypoglycemia).
- Have chronic lung problems such as asthma or COPD.
- Are allergic to regular human insulin or any of the ingredients in Afrezza.

### WHAT SHOULD I TELL MY HEALTHCARE PROVIDER BEFORE USING AFREZZA?

#### Before using Afrezza, tell your healthcare provider about all your medical conditions, including if you:

- Have lung problems such as asthma or COPD
- Have or have had lung cancer
- Are using any inhaled medications
- Smoke or have recently stopped smoking
- Have kidney or liver problems
- Are pregnant, planning to become pregnant, or are breastfeeding. Afrezza may harm your unborn or breastfeeding baby.
- **Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, or herbal supplements.**
- **Before you start using Afrezza, talk to your healthcare provider about low blood sugar and how to manage it.**

### WHAT SHOULD I AVOID WHILE USING AFREZZA?

#### While using Afrezza do not:

- Drive or operate heavy machinery, until you know how Afrezza affects you
- Drink alcohol or use over-the-counter medicines that contain alcohol
- Smoke

## WHAT ARE THE POSSIBLE SIDE EFFECTS OF AFREZZA?

See "What is the most important information I should know about Afrezza?" Afrezza may cause serious side effects that can lead to death, including:

**Low blood sugar (hypoglycemia).** Signs and symptoms that may indicate low blood sugar include:

- Dizziness or light-headedness, sweating, confusion, headache, blurred vision, slurred speech, shakiness, fast heartbeat, anxiety, irritability or mood change, hunger.

**Decreased lung function.** Your healthcare provider should check how your lungs are working before you start using Afrezza, 6 months after you start using it, and yearly after that.

**Lung cancer.** In studies of Afrezza in people with diabetes, lung cancer occurred in a few more people who were taking Afrezza than in people who were taking other diabetes medications. There were too few cases to know if lung cancer was related to Afrezza. If you have lung cancer, you and your healthcare provider should decide if you should use Afrezza.

**Diabetic ketoacidosis.** Talk to your healthcare provider if you have an illness. Your Afrezza dose or how often you check your blood sugar may need to be changed.

**Severe allergic reaction (whole body reaction).** Get medical help right away if you have any of these signs or symptoms of a severe allergic reaction: a rash over your whole body, trouble breathing, a fast heartbeat, or sweating.

**Low potassium in your blood (hypokalemia).**

**Heart failure.** Taking certain diabetes pills called thiazolidinediones or "TZDs" with Afrezza may cause heart failure in some people. This can happen even if you have never had heart failure or heart problems before. If you already have heart failure it may get worse while you take TZDs with Afrezza. Your healthcare provider should monitor you closely while you are taking TZDs with Afrezza. Tell your healthcare provider if you have any new or worse symptoms of heart failure including:

- Shortness of breath, swelling of your ankles or feet, sudden weight gain.

**Treatment with TZDs and Afrezza may need to be changed or stopped by your healthcare provider if you have new or worse heart failure.**

**Get emergency medical help if you have:**

- Trouble breathing, shortness of breath, fast heartbeat, swelling of your face, tongue, or throat, sweating, extreme drowsiness, dizziness, confusion.

**The most common side effects of Afrezza include:**

- Low blood sugar (hypoglycemia), cough, sore throat.

**These are not all the possible side effects of Afrezza. Call your doctor for medical advice about side effects. You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch), or call 1-800-332-1088.**

Please see **Medication Guide** and **Instructions for Use**. Read the Important Safety Information on these 2 pages or visit [www.afrezza.com/safety](http://www.afrezza.com/safety)

Afrezza, MannKind, MannKind Cares, and their respective logos are registered trademarks of MannKind Corporation.

© MannKind Corporation May 2026. US-AFR-3027



## SIMPLIFY MEALTIME MANAGEMENT

Ready to try a different delivery of insulin?  
Ask your health care provider if Afrezza®  
is right for you.

Visit [www.afrezza.com](http://www.afrezza.com) to learn more.



## mannkind

Afrezza, MannKind, MannKind Cares, and their  
respective logos are registered trademarks of  
MannKind Corporation.

© MannKind Corporation May 2026. US-AFR-3027



Scan the QR code to view the Medication  
Guide, Instructions for Use, and see  
Important Safety Warning (including Boxed  
Warning) on pages 8–9 of this brochure.